Subject Index

A

Acetate 315
Acetylcholine 163, 394
– response of isolated cardiac cells 307
– sensitivity 191
– synthesis 225
Acid-base maneuver 178
– – status 146
– microclimate 29
Acinar cell 163
Action potential 1, 22, 72, 307, 327, 379
Active muscle shortening 22
– Na-Cl transport 92
– state 22
Acute renal failure 125
Adaptation 17
Adenine nucleotide phosphorylation 106
Adenylate cyclase 360
ADH prostaglandin E_2 51
Adrenaline 304
β-Adrenergic blockade 172
Adipose tissue 7
– – blood flow 230
– – depots 235
– β-Adrenoreceptor agonists 46
α-Adrenoceptor blockade 394
Aequorin 284
Afterdepolarization wave 22
Age 272
Alveolar-arterial O_2 partial pressure difference 272
Amiloride action 340
4-Aminopyridine 352
Ammonia-inhalation 279
– vapour 279
Anaerobic conditions 57, 67
Anaesthetics 46
Anion 366
Anoxia 57
Antiarrhythmic drugs 379
Arterio-venous difference, osmolality 394
ATP 121
ATP/ADP · Pi ratio 106
Atropine 172, 239, 394
Atrophy 198
A-V nodal cell 307
A-V node cell 89
Axon growth 206

B

Ba^{2+} 92
Basolateral (BLV) membrane vesicles 366
Benzamil 340
Bicarbonate and phosphate transport 178
Blood acid base status 146
– flow in different adipose tissue depots 235
– –, subcutaneous adipose tissue 230
– pressure compensation 46
– vessels 261
Boa constrictor 95
Breathing frequency 279
Bromoacetylcarnitine 225
Brown adipose tissue 7, 172
Brush border membranes 366
Burst discharge 291

C

Ca-free solution 139
Ca^{2+}-activated tension 121
Ca^{2+}-H^+ interaction 163
Ca^{2+} induced contraction 322
cAMP 307
^{45}Ca efflux 163
^{45}Ca release, vascular smooth muscle 139
Ca^{2+} sensitivity 115
Caerulein 163
Caffeine 139, 352
Calcium 72, 284, 307, 327, 352, 360
– activated skinned muscle fiber 322
– diffusion 251
– pool 239
– fluxes 239
Calmodulin 115
Capillaries 261
Capillary permeability 388
– resistance to flow 261
– transport 388
Carbachol 239
Carbon dioxide 277
– – tension (P_{CO_2}) 178
Cardiac cells 307
– membrane excitation 22
– muscle 268
– Purkinje fibers 284, 352
Carnitine acetyltransferase 225
Cell puncturing 295
– volume 67
– – regulation 57
Cellular Ca 239
cGMP 307
Cimetidine 40
Chloride 57, 372
– flux 251
Chloropyramine 40
Choline acetyltransferase 225
Cholinergic vasodilatation 394
Clearance techniques 99
CNS temperature 79
CO_2 163
Colchicine 156
Cold adapted animals 291
– and post-tetanic depression 198
– – – potentiation 183
– receptors 291
Collecting duct of isolated rat papilla 51
Colon 347
Conduction velocity 327
Contractile deactivation 22
– machinery 168
– response of arterial smooth muscles 139
Contractility 1
Contraction 139
Contractures 191
Coprodaeum 340, 347
Cortical thick ascending limb 92
Crayfish opener muscle 157
Cross-sectional area of muscles 198
Current noise 157
Cyclic adenosine 3',5'-monophosphate 121
– AMP 1, 360
– GMP 1
– nucleotide levels 1
Cytochrome oxidase 106
Cytoplasmic Ca^{2+} concentration 139
– (Ca^{2+}) noradrenaline 139

D

Denervated inferior oblique muscle 191
Denervation 191, 198
2-Deoxy-D-glucose 172
Diamide 261
Diaphragm 268
Dibutyryl cGMP 307
Dietary obesity 7
Diffusional water permeability 51
Dimetindene 40
Diphenhydramine 40
Direct "massive" stimulation 183
Dynamic discharge 291
– –, trigeminal warm fibers 95

E

Eccentric work in man 168
EGTA 307
Electrical resistance 67
– – of blood 146
– stimulation 168
Electrogenic Na pump 89
Electrolytes 315
Electrolyte transport 215
Electro-mechanic coupling 22
End-plate potentials 327
End-tidal P_{CO_2} 244
Endurance training 268
Enterocytes 57
Epithelium 347
–, coprodaeum 340
Erythrocytes 146
Erythropoietic factor 34
Ethylene glycol bis(β-aminoethyl ether) N,N,N',N'-tetraacetic acid 239
Excitation-contraction coupling 284
Exercise 235
– hyperemia 315
– in dogs 230
Extracellular chloride 57
– pH 277
– potassium concentration 335
Extraocular muscles 183, 191, 198

F

Facilitation 327
Facilitatory action of adrenaline 304

Fast action potential 379
– -twitch skeletal muscle 268
Fatigability 183
FFA a-v differences 230
Fiber water 277
Filtration rate 372
Flow resistance 261
Fluorescence labelling 211
Fluoride 139
Folate malabsorption 29
Food 172
Free fatty acids 230
Frog skin 152
Furosemide 125
Fusion tension 183

G
Glia cells 295
Glomerular filtration rate 372
Glucagon 360
Glucocorticoid 152
Glucose 172
D-Glucose 13
Glycerol 230
Glycogen depletion 268
Glycolytic potentials, diaphragm, intercostal muscles 268
Goldfish intestinal mucosa 57, 67
Growth hormone 17
– of sympathetic postganglionic axons 206
Guanethidine 206

H
Halothane anaesthesia 244
H_2 antagonists 40
H_2-antagonist impromidine 40
^{3}H-Benzamil 347
Heart 89, 225, 284
– hypertrophy 106
– muscle 379
–, transient outward current 352
Heating 257
Hen coprodaeum in vitro 340
Henle's Loop of rabbit kidney 92
Hexokinase 268
Histamine 40, 139
Hormone-sensitive calcium pool 239
H_1-receptors antagonists 40
Human RBC's 261
Hydraulic conductivity 40
Hydrocortisone 99, 152
Hyperpolarization 307
Hypertonic bolus injection 388
Hypertrophy 198
Hypophysectomized rats 17
Hypotensive haemorrhage 46
Hypoxia 34, 106
Hypoxic hypoxia 34

I
Ia-activated DSCT cells 399
^{125}I-albumin 388
Impromidine 40
Impulse patterns 399
– propagation failure 327
Independence principle 379
Indomethacin 51
Inferior oblique muscle 183
Inflation reflex 279
Infrared analyzer 244
– radiation 95
Inhibitory postsynaptic currents (sIPSCs) 157
– synaptic transmission 157
Inorganic phosphate (Pi) 17
Intercostal muscles 268
Interscapular brown adipose tissue 7
Intestinal folic acid absorption 29
– mucosa 57, 67
– muscle 72
– perfusion 251
Intracellular acidification 163
– calcium 218
– cyclic nucleotides 307
– impalement 295
– oxygen in hearts 106
– space 67
– (Ca^{2+}) transients 284
Inulin clearance 125
Ion-selective electrodes 335
– translocation mechanism 340
Ionic channels 307
– dependence of electrical activity 72
Irritant (deflation) receptors 279
Ischaemia 335
Isolated A-V node cells 89
– cardiac cells 307
– epithelium 340
– frog ventricle 1
– inferior oblique muscle 183
– mouse pancreatic fragments 163
– perfused tubule 92
– rat kidney 178
Isometric contractions 183
– contracture 191
– tension activation 115
ITP 121

J
Jejunum 29, 251
Junction potentials 72
Juxta-glomerular apparatus 372

K
Kidney 92, 178, 235
– cortex 366
– –, erythropoietin 34
–, GFR 372
–, PGE_2 on water permeability 51
–, Pi-transport 17
–, phosphate transport 99
Kinetics of amiloride action 340

L
Lactate 394
– dehydrogenase 268
D-Lactate, 2-thiolactate 366
Lactic acid 366
Lanthanum ions 218
Lateral intercellular space 67
– olfactory tract 257
Laying hen 251
Lean and obese (fa/fa) zucker rats 172
Lidocaine 379
Light chain kinase/phosphatase system 115
– – –/phosphorylase system 121
Limulus striated muscle 121
Lineweaver-burk plot 379
Lipid mobilization 230
Local anaesthetics 379
Long chain acyl-CoA 106
– -term thermal adaptation 291
Lung 272
–, capillary transport 388
Lymph flow 315
Lysine-vasopressin 301

M
Macula densa, NaCl concentration 372
Magnesium, renal reabsorption 360
Malabsorption 29
Mammalian thermoregulation 79
Mannitol 372
Mechanical overload 106
– properties, inferior oblique muscle 198
Mechanoelectric recoupling 22
Membrane potential 1, 335
Mesenteric arteries 72
– bed 301
– vascular resistance 301
Metabolic rate 172
Methotrexate 29
Metiamide 40
Microperfusion 125
Micropuncture technique 295
Microspheres 235
Microtubules 152
Mitochondrial function 106
Monosaccharide absorption 13
Muscarinic receptor 239
Muscarin-receptors 394
Muscle fiber 322
– fibers 157, 191
– ischaemia 335
– mechanics 183, 198
– shortening 22
– soreness 168
– spindles 399
– stretch 399
–, ventricular 218
– weakness 168
Myocardium 379
Myoglobin reoxygenation 106
Myosin light chain 121
– phosphorylation 115

N
Na/Ca exchange 218, 284
Na Cl transport 92
Na^+-dependence of $\dot{V}_{max}$ 379
Na-dependent electrogenic cotransport system 366
$^{22}Na^+$-efflux 304
Na-independent, facilitated diffusion system 366
Na injection 89

Na^+ inward current 379
($Na^+ + K^+$)-adenosine triphosphatase 134
NaK-ATPase 134
Na/K pump 57, 67
Na^+-K^+ pump 304
($Na^+ + Mg^{2+}$)-dependent phosphorylated intermediate 134
Na-nitroprusside 139
Na salts 89
Negative exercise 168
Nephrotoxin 125
Nerve action potential 327
Neuromuscular junction 327
Neurones 295
– , terminal noradrenaline content 206
Nitroglycerine 139
Noise analysis 157
Noradrenaline 139, 172, 206

O

Obese (fa/fa) zucker rats 172
Obesity 7, 172
Olfactory cortical slices 257
– tract 257
3-O-methyl-D-glucose 13
Osmolality 394
Osmolarity and ion content 57
Osmotic permeability coefficient 251
– pressure 251
Ouabain 57, 304
– induced increase in transepithelial electrical resistance 67
Outward current 352
Oxidative potential 268
Oxytocin 301

P

Pancreas 235
Pancreatic fragments 163
Papaverine 139
Papillary muscle 22, 379
Parasympathetic blockade 172
Parathyroid hormone 17, 99
– – (PTH) 99
Parotid acinar cells 239
– gland 134
(γ-^{32}P) ATP 121
P_{CO_2} 178, 244
Perfusion, regional 272
Period of rest 218
3-Phenyl-lactate 366
Phenytoin 29
pH on phosphate (P_i) excretion 178
Phosphate 360
– transport 178
Phosphaturic response 99
Phosphocreatine 106
Phosphorylase 268
Phosphorylation 115, 121
Pinocytosis of polymers 211
(γ-^{32}P) ITP 121
Pi transport 17
Plasma membrane 239
Polyaspartamide 211
Polymer excretion 211
Post-tetanic depression 198
– potentiation 183
Potassium 239, 335
– and pharmacological contractures 191
–, NaCl-transport in ascending limb (Henle) 92
PTH 360
Procaine 379
Prolongation of action potential 218
Propafenone 379
Propagation 327
Propranolol 172
Protective effect of hydrocortisone 152
Pulmonary stretch receptor activity 279
Purkinje fibers 284, 352
Pyridine nucleotide oxidation 106

R

Radioactive ^{133}Xenon 272
RBC-deformability-pressure-flow curves 261
Red blood cells 261
Reflexion coefficient 251
Regional blood flow 235
– perfusion 272
– ventilation 272
Renal erythropoietin production 34
– excretion (and retention) of macromolecules 211
– failure 125
– function, loop of Henle 92
– PO_4 transport 178
– transport 366
– –, macula densa 372
– –, phosphate 99
– tubular handling 360
– tubule 17
Renin-depleted rats 46
– release 46
Respiration 244
Respiratory response 279
Rest 218
Resting membrane potential 335
– tension 183
Ruthenium red 218

S

Salivary glands 134
Series elasticity 322
Short circuit current 340
– -circuiting effect 89
Shortening muscle 322
Sinusoidal muscle stretch 399
Skeletal muscle 277, 304, 315
Skin 235
– lymph flow 315
Skinned fibers 121
– muscle fiber 322
– smooth muscle 115
Slow tonic muscle fibers 191
– twitch skeletal muscle 268
Small intestine 13, 235
Smooth muscle 115
Sodium 72
– channels 347
– entry sites 340
– -potassium-chloride cotransport 92
– transport 99, 340, 347
Solvent drag 251, 388
Species differences, effects of anaesthesia 244
Spontaneous miniature currents 157
Static discharge 291
– –, trigeminal warm fibers 95
Step motor driven manipulator 295
Stiffness change 322
Stretch receptor activity 279
Striated muscle 121
Subcutaneous adipose tissue blood flow 230
Sublingual gland 134
Submandibular gland 134
Succinate dehydrogenase 268
Sucrose 40
Surface pH 29
Sympathectomy 206
Sympathetic postganglionic axons 206
Synaptic temperature coefficients 79

T

Tachypnoea 279
Temperature sensors 79
– signals in homeotherms 79
Tendon 235
Tension response 139
Tetanus and twitch tensions 168
Theophylline 139
Thermal adaptation 95, 291
Thermogenesis 7, 172
Thermoregulation 79
Thermosensitive neurons 257
Thyroparathyroidectomy 17, 360
Tidal volume 279
Tongue 235
Tourniquet ischaemia 335
Tracheal epithelium 40
Training and ventilatory muscles 268
Transepithelial electrical resistance 67
Transient outward current 352
Transport mechanism for Na^+ 347
Treadmill running 268
Triacylglycerol-mobilization 230
Trifluoperazine 121
Triiodothyronine 134
Triton X-100 detergent 115
Tubular reabsorption of macromolecules 211
Tubuloglomerular feedback 125, 372
Twitch 183
– tension 183
– tensions 168

U

Unstirred layer 67
– layers 13
Upper jejunum 251
Urea 388
Uridine triphosphate 1
Urinary cyclic AMP 99

V
Vascular effects, vasopressin 301
– perfusion 13
– resistance 301
– smooth muscle 72, 139
Vasopressin 301
– response 152
Venous blood from skeletal muscle 394
Ventilation 244
– -perfusion ratio 272
–, regional 272
Ventilatory muscles 268
Ventricle 1
Ventricular cell 307
– muscle 218
– myocardium 379
Verapamil 72
Vesicles, renal membranes 366
Vincristine 152
Voltage clamp 352
– clamped cardiac purkinje fibers 284
– -controlled ionic channels 307
Volume flow, electrical properties 40
– –, tracheal epithelium 40
– overload 106
– regulation 57
W
Warm fibers 95
– receptors 95
Washout of injected Xenon 272
Water permeability 51
– –, erythrocyte membrane 146
– secretion 251
– shift 146
Weakness 168
Weanling rats 7
Work 168
X
^{133}Xe-washout technique 230